



**DO NOT USE ON RABBITS**  
**PLEASE READ THE LABEL COMPLETELY BEFORE USE**  
 ACVM Registration No. A007305  
 See www.foodsafety.govt.nz for registration conditions.  
 HSN0 No. HSR001819  
**Boehringer Ingelheim Animal Health**  
**New Zealand Ltd**  
 Level 3, 2 Osterley Way, Manukau,  
 Auckland 2104, New Zealand  
**Freephone: 0800 800 822**



**DANGER**  
 KEEP OUT OF REACH OF CHILDREN  
 FOR ANIMAL TREATMENT ONLY  
**FRONTLINE®**  
**SPRAY**

Active constituent: 2.5 g/L fipronil  
 Also contains >60% propanol



For the treatment, prevention and control  
 of flea, tick and biting lice infestations and  
 flea allergy dermatitis on dogs and cats.



**DOGS AND CATS**

**250 mL**



Boehringer  
 Ingelheim

#### HSNO Classification

3.1B, 6.1E, 6.3B, 6.4A, 9.1B, 9.3C, 9.4A

Highly flammable liquid and vapour. Do not use or store near  
 heat or open flame. Do not allow treated animal near open  
 flame for 30 minutes after using.

May be harmful if swallowed or inhaled. Avoid inhalation.  
 Wash hands and exposed skin before meals and after work.  
 May cause mild skin or eye irritation. Avoid skin or eye  
 contact.

Toxic to aquatic organisms. Avoid contamination of any water  
 supply with product or empty container.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

#### FIRST AID:

- If swallowed, do not induce vomiting. For advice, contact  
 the National Poison Centre 0800 POISON (0800 764 766) or  
 a doctor immediately.

- If spilled on skin, remove contaminated clothing and  
 wash affected areas of skin.

- If splashed in eyes, flush with running water for at least  
 15 minutes. If vision is impaired or irritation of eye occurs,  
 seek medical advice without delay.

**DISPOSAL:** Dispose of this product only by using in  
 accordance with the label or at an approved landfill. Do  
 NOT reuse container for any other purpose. Ensure  
 container is completely empty. Wrap in paper and place in  
 garbage.

Do not carry more than 1 L on a passenger service vehicle.



9 414803 020010 >

## MERIAL GRAPHIC ARTWORK APPROVAL

<b>Code: 0 037 920532</b>	<b>VERSION</b>	<b>PTG : 0027</b> Version : F 171018	<b>COLORS</b>			
<b>PRODUCT:</b> ELI FTL SPRAY 250ML 4 pages	<b>INITIALS:</b> CS - Composer RH		<b>Etiqu. flacon &gt;</b> <table><tr><td>Black</td><td>Cyan</td><td>P 286</td></tr></table>	Black	Cyan	P 286
Black	Cyan	P 286				
<b>COUNTRY:</b> NOUVELLE-ZELANDE (NZ)	<b>VERSION - DATE:</b> A 15/10/18 10h00		<b>&amp; livret p.1 &gt;</b> <table><tr><td>Mag.</td><td>Yellow</td><td>P 286</td></tr></table>	Mag.	Yellow	P 286
Mag.	Yellow	P 286				
<b>Dimensions à plat (mm):</b> 70 x 190	B 14/11/18 10h00		<b>Reste livret &gt;</b> <table><tr><td>Black (Noir)</td><td>P 286</td></tr></table>	Black (Noir)	P 286	
Black (Noir)	P 286					
<b>Dimensions plié(e)s:</b> NA	C 26/11/18 16h00					
<b>PRINTED BASIS CODE (if applicable):</b> NA	<b>CANCEL AND REPLACE:</b> 0 037 901326		⚠ Please use the official PANTONE® (P) matching system for an accurate color representation.			

### Marketing approval:

COMPLETE  
 NAME:

DATE +  
 SIGNATURE:

### Regulatory approval:

COMPLETE  
 NAME:

DATE +  
 SIGNATURE:

NOT PRINTABLE  
 NON IMPRIMABLE

#### TECHNICAL NOTE(S) - INFO(S) TECHNIQUE

«Lot, Exp, ...» area / zone

Artwork identification(s)

Texts AND graphics areas /  
 zones de textes ET graphismes

Dieline / Découpe

Note: approval is for ALL artwork's pages/validation valable pour TOUTES les pages de l'artwork

# FRONTLINE® SPRAY

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

## DIRECTIONS FOR USE

### Administration

- Spray the entire body of the animal from a distance of 10-20 cm.
- Ensure that the hair coat is wet to skin depth by ruffling the coat and spraying against the lie of the hair.
- Allow to dry naturally. Do not towel dry.
- For detailed instructions see following pages.

### Dosage

- Use 3-6 mL per kg of bodyweight, depending on the length of the coat. For long-haired animals, use the higher dose rate.

- Each pump action delivers 1.5 mL so the dose to be applied is 2-4 pumps per kg.

### For best results

- To get the full benefit of treatment, ensure that the animal is damp to skin depth over the whole body, using between 3 and 6 mL per kg bodyweight.
- Best results will be achieved if treatment is delayed for at least 2 days after shampooing and if grooming is avoided for 24 hours following treatment.

### Safety

FRONTLINE® SPRAY is safe to use on puppies and kittens over 2 days of age, adult cats and dogs, pregnant and lactating bitches.

### Duration of activity

FRONTLINE® SPRAY is active for 2 months against fleas on dogs, 6 weeks against fleas on cats, and

for up to 4 weeks against ticks (*Haemaphysalis longicornis*) on dogs and cats. This durability is not significantly reduced by shampooing, swimming, rain or exposure to sunlight.

### Flea Allergy Dermatitis:

Treats and controls flea allergy dermatitis via flea control. FRONTLINE® SPRAY breaks the flea allergy dermatitis cycle by eliminating fleas, which are the cause. Animals with severe flea allergy dermatitis may require additional veterinary treatment. For the control of flea allergy dermatitis, apply monthly to the affected dog and to all other cats and dogs in the household.

# HOW TO APPLY FRONTLINE® SPRAY



**1.** Treat your pet in a well-ventilated room away from surfaces likely to be affected by alcohol spray. (If you are treating a dog, you may prefer to treat it outside.) Put on a pair of waterproof disposable gloves.



**2.** Position the nozzle to deliver a spray. If the nozzle is turned further, a jet will be obtained. The jet may be used to treat small areas where accuracy is required, such as the feet. Do not breathe the spray.



**3.** Decide on a way to keep your pet relatively still. You may want to hold it yourself, or perhaps ask a friend. Putting a collar on your pet will help you to hold it more firmly.



**4.** In preparation for spraying, ruffle the pet's coat against the lie of the hair.



**5.** Hold the dispenser vertically, 10-20 cm (4-8 inches) away from the coat, then apply the spray, dampening with the spray right down to the skin. The number of sprays required depends on the bodyweight (2-4 pumps per kg).



**6.** Remember to spray the underside, neck and feet. To get to the underside of a dog, encourage it to roll over or sit. If your pet is a cat, you may need to lift it to get to the underside.



**7.** To ensure coverage of the head region, spray FRONTLINE® SPRAY onto your glove and rub gently around the face of your pet, avoiding the eyes and ears. When treating puppies, kittens or nervous pets, you may prefer to use a glove to apply FRONTLINE® SPRAY all over the animal.



**8.** When your pet has been thoroughly covered, massage the coat all over to make sure the spray gets right down to the skin. Let your pet dry naturally in a well-ventilated area. (Do not put your pet straight into a pet carrier.) If you are treating several animals, ensure that the room is well ventilated between treatments and allow animals to dry in a separate well-ventilated room.



**9.** Keep your pet away from fires, heat or surfaces likely to be affected by the alcohol spray until dry and for at least 30 minutes after treatment.



**10.** Do not eat, drink or smoke when applying the spray. Do not use FRONTLINE® SPRAY if your pet has a known hypersensitivity to insecticides or to alcohol. Wash hands after use.



920532

Batch No:  
Expiry:**DO NOT USE ON RABBITS  
PLEASE READ THE LABEL COMPLETELY BEFORE USE**

ACVM Registration No. A007305

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

HSNO No. HSR001819

**Boehringer Ingelheim Animal Health  
New Zealand Ltd**Level 3, 2 Osterley Way, Manukau,  
Auckland 2104, New Zealand**Freephone: 0800 800 822****HSNO Classification****3.1B, 6.1E, 6.3B, 6.4A, 9.1B, 9.3C, 9.4A**

Highly flammable liquid and vapour. Do not use or store near heat or open flame. Do not allow treated animal near open flame for 30 minutes after using.

May be harmful if swallowed or inhaled. Avoid inhalation. Wash hands and exposed skin before meals and after work.

May cause mild skin or eye irritation. Avoid skin or eye contact.

Toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

**FIRST AID:**

• If swallowed, do not induce vomiting. For advice, contact the National Poison Centre 0800 POISON (0800 764 766) or a doctor immediately.

• If spilled on skin, remove contaminated clothing and wash affected areas of skin.

• If splashed in eyes, flush with running water for at least 15 minutes. If vision is impaired or irritation of eye occurs, seek medical advice without delay.

**DISPOSAL:** Dispose of this product only by using in accordance with the label or at an approved landfill. Do NOT reuse container for any other purpose. Ensure container is completely empty. Wrap in paper and place in garbage.

Do not carry more than 1 L on a passenger service vehicle.

**DANGER**  
KEEP OUT OF REACH OF CHILDREN  
FOR ANIMAL TREATMENT ONLY**FRONTLINE®**  
**SPRAY**Active constituent: 2.5 g/L fipronil  
Also contains >60% propanol

For the treatment, prevention and control of flea, tick and biting louse infestations and flea allergy dermatitis on dogs and cats.

**DOGS AND CATS****250 mL**Boehringer  
Ingelheim

Etiquette flacon